

Ace
INDUSTRIAL

**BIG
RED** JACKS[®]



GARAGE EQUIPMENT

JACKS • PRESSES • STANDS • LIFTS • PORTA POWER

www.acehardware.co.zw



Hydraulic Bottle Jack

Code:	T90204
Capacity (Ton)	2
Min. Height A (mm):	181
Lift Height B (mm):	116
Adjustable Height C (mm):	48
N.W (Kg):	2.63
G.W (Kg):	2.7
Package Size (mm):	315 x 220 x 216
Max. Height D (mm):	345
Width & Length - E x F:	88 x 92



Hydraulic Bottle Jack

Code:	T90504
Capacity (Ton):	5
Min. Height A (mm):	216
Lift Height B (mm):	127
Adjustable Height C (mm):	70
N.W (Kg):	4.35
G.W (Kg):	4.5
Package Size (mm):	265 x 235 x 260
Max. Height D (mm):	413
Width & Length - E x F:	96 x 112



Hydraulic Bottle Jack

Code:	T91004
Capacity (Ton):	10
Min. Height A (mm):	230
Lift Height B (mm):	150
Adjustable Height C (mm):	80
N.W (Kg):	6.46
G.W (Kg):	6.55
Package Size (mm):	285 x 260 x 265
Max. Height D (mm):	460
Width & Length - E x F:	110 x 123



Hydraulic Bottle Jack

Code:	T92004
Capacity (Ton):	20
Min. Height A (mm):	242
Lift Height B (mm):	150
Adjustable Height C (mm):	60
N.W (Kg):	10.35
G.W (Kg):	10.47
Package Size (mm):	330 x 180 x 285
Max. Height D (mm):	452
Width & Length - E x F:	144 x 152





Hydraulic Bottle Jack

Code:	T93201
Capacity (T on):	32
Min. Height A (mm):	260
Lift Height B (mm):	160
Adjustable Height C (mm):	/
N.W (Kg):	17.8
G.W (Kg):	18.05
Package Size (mm):	195 x 185 x 280
Max. Height D (mm):	430
Width & Length - E x F:	185 x 165



Hydraulic Bottle Jack

Code:	T95001
Capacity (T on):	50
Min. Height A (mm):	280
Lift Height B (mm):	170
Adjustable Height C (mm):	/
N.W (Kg):	25.8
G.W (Kg):	26.05
Package Size (mm):	220 x 205 x 300
Max. Height D (mm):	470
Width & Length - E x F:	207 x 185



Hydraulic Bottle Jack

Code:	T910001
Capacity (T on):	100
Min. Height A (mm):	335
Adjustable Height C (mm):	180
Size (mm):	290 x 240 x 335
N.W (Kg):	66.5
G.W (Kg):	69
Package Size (mm):	335 x 280 x 380



Forklift Jack

Code:	TC50001
Capacity (T on):	end 4Ton/post 5Ton
Min. Height (mm):	end 440mm/post 740mm
Max. Height (mm):	end 70mm/post 420mm
N.W (Kg):	45
G.W (Kg):	46.5
Package Size (mm):	730 x 253 x 320



Heavy Duty Long Floor Jack

Code:	QYW3
Capacity (T on):	3
Min. Height (mm):	130
Max. Height (mm):	600
Product Size (mm) :	1400 x 320 x 200
N.W (Kg):	65
G.W (Kg):	90
Package Size (mm):	1450 x 380 x 210



Heavy Duty Long Floor Jack

Code:	QYW5
Capacity (T on):	5
Min. Height (mm):	160
Max. Height (mm):	560
Product Size (mm) :	1412 x 418 x 186
N.W (Kg):	85
G.W (Kg):	100
Package Size (mm):	1618 x 475 x 350



Heavy Duty Long Floor Jack

Code:	QYW10
Capacity (T on):	10
Min. Height (mm):	160
Max. Height (mm):	560
Product Size (mm) :	1540 x 486 x 255
N.W (Kg):	129
G.W (Kg):	150
Package Size (mm):	1710 x 525 x 395



Heavy Duty Long Floor Jack


Code:	QYW20
Capacity (T on):	20
Min. Height (mm):	220
Max. Height (mm):	680
Product Size (mm) :	1550 x 560 x 305
N.W (Kg):	215
G.W (Kg):	230
Package Size (mm):	1650 x 370 430



YELLOW JACKET




3 TON
SUPER-DUTY JACK



- EXTRA-LARGE Replaceable rubber lifting saddle
- 85mm front wheel with greaseable zerk fittings
- (5) Zerk grease fittings
- Rear swivel casters with ball bearings
- MAGNETIC TOOL PANEL
- UNIVERSAL JOINT RELEASE Adds precision control

Polyurethane Seals
Made to resist higher abrasion, cut and tear resistance making it last longer than traditional rubber O-rings



- Trimmed sealing lips
- Expansion free space to reduce friction at the dynamic contact surface
- Expansion free space for increased extrusion resistance
- Better than low quality rubber o-rings

LIFTS UP TO 75% FASTER
Double pump design reaches max. Rise height in under 5 pumps

585mm
100mm



Code	Capacity (Ton)	Min. Height (mm)	Max. Height (mm)	N.W (Kg)	G.W (Kg)	Product Size (mm)	Package Size (mm)
T830008	3	100	585	51.5	55.9	846 x 398 x 168	900 x 455 x 185





Hydraulic Garage Jack

Code:	T83502
Capacity (T on):	3
Min. Height (mm):	145
Max. Height (mm):	500
Product Size (mm):	685 x 346 x 180
N.W (Kg):	37.2
G.W (Kg):	38.4
Package Size (mm):	740 x 380 x 205



Scissor Jack

Code:	T10202
Capacity (T on):	2
Min. Height (mm):	120
Max. Height (mm):	395
Total Length (mm):	415
N.W (Kg):	3.5
G.W (Kg):	4
Package Size (mm):	660*470*260



High Lift Jack (Farm Jack)

Code:	TR8485
Capacity (T on):	3
Min. Height (mm):	125
Max. Height (mm):	1020
Base Size (mm):	177.8 x 177.4
Package Size (mm):	1255 x 255 x 150
N.W (Kg):	14
G.W (Kg):	15



2 Stage Hydraulic Pneumatic Jack

Code:	TRA40-2AL
Capacity (T on):	40
Air Pressure:	0.6-0.8 Mpa
Min. Height (mm):	170
Lifting Height (mm) :	70
Extension Height(mm):	75+45
G.W (Kg):	5
Package Size (mm):	650 x 360 x 300



Transmission Jack

Code:	TRE15001
Capacity (T on):	1.5
Min. Height (mm):	270
Max. Height (mm):	900
N.W (Kg):	83
G.W (Kg):	90
Package Size (mm):	990 x 560 x 310



Engine Stand

Code:	TM26076A
Capacity (T on) (Kg):	1/2 450
Product Size (mm):	925 x 780 x 850
Package Size (mm):	880 x 200 x 195
N.W. (Kg):	21
G.W (Kg):	22.3



Engine Crane

Code:	TM91030
Capacity (T on):	3
Lifting Height (mm):	2000
Ram Jack (T on):	12
Packaging Size (mm):	1330 x 830 x 110 1420 x 300 x 210 710 x 180 x 160
G.W . (Kg):	45 72 16



Hydraulic Spring Compressor

Code:	TRK1500-6
Capacity (T on):	1
Compresses Spring Dia (mm):	400
N.W (Kg):	210-570
G.W (Kg):	30
Package Size (mm):	34 1190 x 290 x 220



Jack Stand (Tressles)

Code:	T43002
Capacity (T on):	3
Min. Height (mm):	275
Max. Height (mm):	425
N.W (Kg):	5.6
G.W (Kg):	6.8
Package Size (mm):	300 x 250 x 470



Jack Stand (Tressles)

Code:	T46002
Capacity (T on):	6
Min. Height (mm):	390
Max. Height (mm):	605
N.W (Kg):	6.8
G.W (Kg):	8.2
Package Size (mm):	300 x 250 x 470



Jack Stand (Tressles)

Code:	T412002
Capacity (T on):	12
Min. Height (mm):	465
Max. Height (mm):	715
N.W (Kg):	28
G.W (Kg):	29.6
Package Size (mm):	340 x 300 x 550



Jack Stand (Tressles)

Code:	TZ250002-GS
Capacity (T on):	25
Min. Height (mm):	680
Max. Height (mm):	968
N.W (Kg):	38.5
G.W (Kg):	41.1
Product Size (mm):	460 x 460 x 698
Package Size (mm):	520 x 510 x 720



Hydraulic Shop Press

Code:	TY20001
Capacity (T on):	20
Stroke (mm):	185
Work Range (mm):	0-910
Bed Size (mm):	200 x 650
N.W (Kg):	254
G.W (Kg):	285
Package Size (mm):	920 x 380 x 1792



Hydraulic Shop Press

Code:	TY50001
Capacity (T on):	50
Stroke (mm):	175
Work Range (mm):	0-890
Bed Size (mm):	200 x 650
N.W (Kg):	254
G.W (Kg):	285
Package Size (mm):	920 x 380 x 1792



Round Mechanics Chair on 4 Wheels

Hydraulic Chair with Tool Tray

Adjustable Seat that swivels 360°

Code:	SP07401
Seat height (mm):	380 to 508
Capacity (Kg):	136
Tool tray dimensions (mm):	380 dia. x 22 deep.
Overall dimensions (mm):	495 H. x 380 dia.
Lifting range (mm):	380 to 508



Garage Creeper

Code:	TR6401
N.W (Kg):	6.14
G.W (Kg):	6.94
Overall Size (mm):	920 x 425 x 95
Package Size (mm):	935 x 450 x 100



Porta Power

Code:	T71002
Capacity (T on):	10
Min. Ram Height (mm):	380
Ram Lifting Height (mm):	150
Package Size (mm):	800 x 315 x 180
G.W (Kg):	28.5
N.W (Kg):	35.5



Body Frame Repair Kit

Code:	TM31 102
Capacity (T on):	20
Min. Ram Height (mm):	278
Ram Lifting Height (mm):	125
Package Size (mm):	690 x 400 x 130
G.W (Kg):	33
N.W (Kg):	34



Hydraulic Hand Pump

Code:	TRCP-180
Working Pressure (Bar) Low:	-
Working Pressure (Bar) High:	700
Oil Volume / each pump (ml) Low:	-
Oil Volume / each pump (ml) High:	2
Oil Capacity (ml):	400
N.W / G.W (Kg):	3.9 / 4.5
Package Size (mm):	395 x 225 x 165



Hydraulic Hand Pump

Code:	TCP-700
Working Pressure (Bar) Low:	20
Working Pressure (Bar) High:	700
Oil Volume / each pump (ml) Low:	13
Oil Volume / each pump (ml) High:	2.3
Oil Capacity (ml):	900
N.W / G.W (Kg):	9.3 / 10.2
Package Size (mm):	700 x 190 x 195





Hydraulic Ram

Code:	TRB2005
Capacity (T on):	5
Min. Height (mm):	41
Lift Height (mm):	7
Max. Height (mm):	48
Cylinder Diameter (mm):	35
N.W (Kg):	0.8
G.W (Kg):	0.9
Package Size (mm):	390 x 180 x 90
Suitable Hand Pump:	TRCP-180 (Pg 9)



Hydraulic Ram

Code:	TRB2010
Capacity (T on):	10
Min. Height (mm):	53
Lift Height (mm):	11
Max. Height (mm):	64
Cylinder Diameter (mm):	44
N.W (Kg):	1.8
G.W (Kg):	1.9
Package Size (mm):	320 x 170 x 150
Suitable Hand Pump:	TRCP-180 (Pg 9)



Hydraulic Ram

Code:	TRB2020
Capacity (T on):	20
Min. Height (mm):	62
Lift Height (mm):	13
Max. Height (mm):	75
Cylinder Diameter (mm):	64
N.W (Kg):	3.1
G.W (Kg):	3.2
Package Size (mm):	310 x 185 x 170
Suitable Hand Pump:	TRCP-180 (Pg 9)



Hydraulic Ram

Code:	TRB2030
Capacity (T on):	30
Min. Height (mm):	66
Lift Height (mm):	14
Max. Height (mm):	80
Cylinder Diameter (mm):	78
N.W (Kg):	5
G.W (Kg):	5.2
Package Size (mm):	205 x 150 x 105
Suitable Hand Pump:	TRCP-180 (Pg 9)



Hydraulic Ram

Code:	TRB2050
Capacity (T on):	50
Min. Height (mm):	77
Lift Height (mm):	18
Max. Height (mm):	95
Cylinder Diameter (mm):	98
N.W (Kg):	8.5
G.W (Kg):	8.8
Package Size (mm):	230 x 165 x 110
Suitable Hand Pump:	TRCP-700 (Pg 9)



Hydraulic Ram

Code:	TRB2100
Capacity (T on):	100
Min. Height (mm):	93
Lift Height (mm):	21
Max. Height (mm):	114
Cylinder Diameter (mm):	135
N.W (Kg):	19
G.W (Kg):	19.5
Package Size (mm):	295 x 210 x 130
Suitable Hand Pump:	TRCP-700 (Pg 9)



Hydraulic Ram

Code:	TRB2150
Capacity (T on):	150
Min. Height (mm):	88
Lift Height (mm):	21
Max. Height (mm):	109
Cylinder Diameter (mm):	166
N.W (Kg):	20
G.W (Kg):	21.7
Package Size (mm):	300 x 295 x 175
Suitable Hand Pump:	TRCP-700 (Pg 9)



Hydraulic Ram

Code:	TRB2200
Capacity (T on):	200
Min. Height (mm):	101
Lift Height (mm):	21
Max. Height (mm):	122
Cylinder Diameter (mm):	195
N.W (Kg):	34
G.W (Kg):	35.9
Package Size (mm):	260 x 255 x 150
Suitable Hand Pump:	TRCP-700 (Pg 9)



Parts Washer

Code:	SP34101
Tank Capacity (Gallons):	20
Tank Capacity (Liter):	75
Solvent Capacity (Gallons):	12
Solvent Capacity (Liter):	45
N.W (Kg):	23
G.W (Kg):	26
Package Size (mm):	790 x 550 x 320



Parts Washer

Code:	TRG4001-40
Tank Capacity (Gallons):	40
Tank Capacity (Liter):	150
Solvent Capacity (Gallons):	40
Solvent Capacity (Liter):	150
N.W (Kg):	42
G.W (Kg):	45
Package Size (mm):	1140 x 550 x 330




Pneumatic Oil Drainer

Code:	TRG2092
Capacity (L):	90
Product Size (mm) :	545 x 510 x 970
Package Size (mm):	540 x 520 x 1000
N.W (Kg):	27
G.W (Kg):	31



Pneumatic Oil Drainer

Code:	TRG6194
Capacity (L):	70
Capacity (Gal):	18
Basin Capacity (L):	10
Product Size (mm):	490 x 430 x 1600
N.W (Kg):	19
G.W (Kg):	21
Package Size (mm):	520 x 440 x 910



Tyre Changer 12" - 23"

Code:	PL - 1203
Max. Wheel diameter:	1143mm (45")
Max. Wheel width:	406mm (16")
Working Pressure:	8-10bar (116 - 145PSI)
Optional Power supply:	220V (1ph/3ph) / 380V (3ph)
Internal locking rim dimensions:	14 - 26"
N.W (Kg):	212
G.W (Kg):	240



Tyre Changer 12" - 26"

Code:	PL - 1298IT
Max. Wheel diameter:	1143 mm (45")
Max. Wheel width:	406 mm (16")
Working Pressure:	8-10bar (116 - 145PSI)
Optional Power supply:	110 V (1 ph) / 220 V (1 ph/3 ph) / 380 V (3 ph)
Internal locking rim dimensions:	14 - 28"
N.W (Kg):	254
G.W (Kg):	310




Wheel Balancer Manual 10" - 24"

Code:	PL - 1800
Max. Wheel Weight (Kg):	65
Optional Power Supply:	220v
Motor Power (Kw):	0.20 / 0.37
Balancing speed (R.p.m):	200
Rim Diameter (mm):	252 - 610
Rim Width (mm):	40 - 510
N.W (Kg):	98
G.W (Kg):	122



**Dual Manual
Lock Release**





Max.Height
35mm



Two stage arm

2 Post Lift 4 Ton Floor Plate

Code:	PL4-2B
Feature:	Manual release
Lifting Capacity (Kg):	4000
Lifting Height (mm):	1800
Machine Height (mm):	2824
Machine Width (mm):	2576
Power of Motor (Kw):	2.2
Power Supply:	220V/380V 1/3 PHASE
Rise Time (s):	55
Drop Time (s):	26



**Single Manual
Lock Release**



**Optional Pneumatic
Lock Release**

Four Post Lift – 4500Kg

PL-F50 is a four post lift with extra height, but can also fit within a typical parking space. This 4 post lift can double as a parking space without the need of a tricky installation.

4 Post Lift 5 Ton

Code:	PL-F50
Feature:	Manual unlock
Lifting Capacity (Kg):	4500
Lifting Height (mm):	1700
Platform Height (mm):	170
Platform Length (mm):	4650
Power of Motor (Kw):	2.2
Power Supply:	220V/380V 1/3 PHASE
Rise Time (s):	30
Drop Time (s):	30

Rolling jack (OPTIONAL)

2T/3T

Convenient for clients' self-installation

